

CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Invitation to Bid

HNS 21-24

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

Documents included in Package:

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

Bid Walk & Bid Opening:

SAFEHOME CHARLOTTE has
15:00 NOON
2:00 PM
Contact Number:
Contact Number: 704 622 1685

If you are going to be late the policy is the following:

Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.

The day of a bid walk the best way to reach me is at ______(cell # _704 622 1685_____).

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Company Acknowledgement:	
The undersigned, having become thorough the City of Charlotte Neigh inspected the site in all particulars, her time stated and in strict accordance will and all labor and materials, and to do a advised respective contractual, for the All labor, materials, services and experiences.	quipment necessary for the completion of the Work shown
on the Drawings and in the Specific	Dollars (\$)
Written total	zona, y
Specs Dated: Number of	Pages:
Addenda # 1 Dated:	Number of Pages:
Addenda # 2 Dated:	Number of Pages:
Project Schedule: Minimum Start Dat	re -
Completion Deadline:	
Please Print and Sign:	
Company Name/Firm:	
Authorized Representative Name:	
Signature:	Date:



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Requirements For Bidders

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

reasons, any or an ora sabiniteass.
Challer Hitsman
Rehabilitation Specialist
City of Charlotte
Neighborhood and Business Services
600 E. Trade St.
Charlotte, NC 28202
PH: (704)
Fax: (704)



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Instructions to Bidders

Explanations to Bidders

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

Preparation of Bids

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, alternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

Submittal of Bids

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
 - o Scope of Work
 - o Addenda Acknowledgement
 - o Itemized Work Sheet
 - Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC

Prepared By:
City of Charlotte Housing & Neighborhood Services
600 E. Trade Street
Charlotte, NC 28202
(704) 336-7600

Property Details							
Address:	418 S Ramsey St		Owner:	Laton	ya Steele		
	Charlotte, NC 28208		Owner Phone:				
Structure Type:	Single Unit	•	Program(s):		ny Homes		
Square Feet:	1168			Teste SHFY	d- HAS LE '2020	AD	
Year Built:	1962				E FY 20		
Property Value:	62000						
Tax Parcel:	06306725						
Census Tract:							
Property Zone:	Council District 2						
Repairs							
<u>Description</u>				<u>Floor</u>	Room		<u>Exterior</u>
All Contractor's Project	t Requirements		*				
The contractor is respon	sible for project requirements, including	but limite	d to:				
COVID-19 Process							
Obtaining all permits rec	uired. Said permits shall include all iten	ns in this s	cope of work.				
Provide temporary toilet	facilities from job start until the complet	ion of wor	∢ .				
	ff dumpsters as needed without damagi epair any evidence of the dumpsters us						
		Rid Cost	:	Х		=	
		Dia Cost	Base		Quantity		Total Cost
Asbestos Abatement S		* 11 1000 000 000 000 000 000 000 000 00					which is the transfer of the
	allowance to complete the scope of wo	rk attache	d.				
ood anaoned ecopoty in	anonance to complete the ecope of the	.,,	~-				
		Bid Cost		X		_=	
		*	Base	n o .computati	Quantity	an out to see the second	Total Cost
	and the second second of the second of the second of the second s	and the second of a state lines as when	 — with the content of t		mana and the state of the state		and the second s

Replumb Supply Lines

Remove all existing water supply lines (Inside foundation only) Install new PEX supply lines to code to service one 3-piece bath, kitchen and laundry area. Insulate exposed hot and cold water lines, installed to code. Repair any wall or ceiling tear out required to install system.

	Bid Cost:	X_		
		Base	Quantity	Total Cost
Replumb Waste Lines & Vents	during the comment of additional additional and the contract of the contract o	the state of the s		
Remove all drain, waste and wet vent lines to code legal dum laundry area from the roof vent pipe/pipes thru the foundation outs required, installed to code. Repair any wall or ceiling tea	wall to include a	a main clean out	rvice one 3-piece outside of house a	bath, kitchen and and any interior clean
	Bid Cost:	Х_		
		Base	Quantity	Total Cost
Exterior Handrails- FRONT	* * * * * * * * * * * * * * * * * * *	Control Control Control Control Control		
 Secure existing handrails. Re-install handrails to current be Scrape & paint handrail, guardrail and porch post rustolium Prep & paint front shutters white 		x	=	
	Bid Cost	Base	Quantity	Total Cost
The state of the property of the state of th		and the second second of		
Prep & Paint Exterior Surfaces			And the second second second	
Prep & Paint Exterior Surfaces Windows, front handrail, guardrail , porch post , shutters and	crawl door.		yen ar e e e e e	
	all loose materi etc. prior to apply	ying 25-year or b ot all surfaces not	etter Low VOC pa	int. Owners choice of
Windows, front handrail, guardrail, porch post, shutters and Prep and paint all exterior painted surfaces. Properly dispose deteriorated materials. Caulk and fill all cracks, voids, holes, experiences.	all loose materi etc. prior to apply	ying 25-year or bot all surfaces not	etter Low VOC pa	int. Owners choice of t coverage.
Windows, front handrail, guardrail, porch post, shutters and Prep and paint all exterior painted surfaces. Properly dispose deteriorated materials. Caulk and fill all cracks, voids, holes, experiences.	all loose materi etc. prior to apply se care to protec	ying 25-year or bot all surfaces not	etter Low VOC pa	int. Owners choice of

Demo and Rebuild Bathroom - Complete

Completely demo the existing bathroom. Remove all plumbing and electrical fixtures, doors and trim, and ceiling, wall, and floor coverings to the framing. Repair or replace all framing as necessary to meet the requirements of the Construction Specifications and the Building Code.

Rebuild the bathroom complete with all the following features:

- *floor, wall, and ceiling insulation at locations required by the Construction Specifications
- *ceiling mounted fan vented through the roof
- *switched light fixture over the vanity
- *GFCI outlet per Code
- *4 " curb fiberglass walk in shower surround & plumbing
- *drywall and finish walls and ceiling
- *25 yr. vinyl plank flooring & match hardwood flooring at hallway door opening
- *prehung six panel door and hardware widen to 42".
- *baseboard and shoe mold at standard locations
- *1.6 gpf commode
- *Pedistal Sink
- *3 piece bath hardware set (towel bar, paper holder, and towel ring)
- *mirror over vanity
- *walls and ceiling painted semi-gloss per Construction
- * floor air-supply grill
- *Code Compliant tempered Window Glass
- * Sand smooth existing upright cabinetry & paint wall color Specifications.

All materials and construction methods shall meet the requirements of the relevant Construction Specifications and the NC Codes.

	Bid Cost:	>	(=	
		Base	Quantity	Total Cost
Resilient Flooring	, 4 - 1-, 1100 - 1100 - 120 - 120 - 1	e se na este e e e e e e e e e	THE RESERVE OF THE PARTY OF THE	, , , , , , , , , , , , , , , , , , ,
Front - Left Bedroom Rear - Left Bedroom Kitchen / Dining Room Rear - right lower storage room and Utility room				
Install 25 year warrantied resilient floor covering per manufa and be waterproof. Include transitions and painted or staine	acturer's specificated wood quarter-ro	ound at all peri	material is to be vi	nyl interlocking planks installation.
	Bid 003t	Base	Quantity	Total Cost
Range Hood Exterior Vented	er som er i die zoeren er er entre er e. biller bez er over	resident para la	 A service distribution of the control of the control	agravit vitavit ti totavita, ut tuvorit av kassastasa asitus (1 n. 2016) (1 a. 1. 2016).
Install an exterior ducted enameled range hood with integral cabinet with screws. Include metal vent and roof or wall cap				
	o/damper assemb			

Gas Furnace Replacement

Install a gas fired, forced air furnace with minimum AFUE rating of 90 or higher to existing plenum and gas line with electronic ignition. Include programmable thermostat, flue pipe and shut- off valve. Size furnace per heat loss analysis. Contractor to furnish Manual J calculations. Dispose of old furnace appropriately.

			X=	=
		Base	Quantity	Total Cost
Replace/Install Duct Work System			And the second s	
Replace all ductwork and supply mixing box plenum. Ensurements but be R-8 and mastic sealed.	ıre system is propeı	ly supported f	rom ground (suppl	y, return, and flex.)
	Bid Cost		χ :	=
		Base	Quantity	Total Cost
Air Conditioner Replace		The second second second second		
Install new Energy Star Rated 14 SEER or higher air concrecommendations. Support unit on a level concrete pad v refrigerant piping. Properly dispose of existing unit.	litioner compatible v vith a minimum of 3'	vith the indoor clearance arc	unit per the manu ound coil. Re-insul	facturer's ate bare areas of
		1		
	Bid Cost: _		X:	Total Cost
and the second of the second o		Base	Quantity	Total Cost
Door Hardware Interior				
Front left Bedroom door Front right Bedroom door				
Replace interior door hardware with finish to match existing	ng house hardware.			
	Bid Cost:		Χ:	
				-
		Base	Quantity	Total Cost
Sliding Glass Patio Door	s nomen and the sectors where the control of the	Base	-	Total Cost
Sliding Glass Patio Door Remove and dispose of existing door, frame and threshol screen and locking hardware. Insulate cavity. New casing any damaged header, door framing, wall framing, sub-floor	d. Install new Energ and shoe molding	y Star rated p	re-hung exterior vi	nyl siding patio door witl
Sliding Glass Patio Door Remove and dispose of existing door, frame and threshol screen and locking hardware. Insulate cavity. New casing	d. Install new Energ and shoe molding	y Star rated p will match exis joists, and sill.	re-hung exterior vi	nyl siding patio door witl
Sliding Glass Patio Door Remove and dispose of existing door, frame and threshol screen and locking hardware. Insulate cavity. New casing	d. Install new Energ and shoe molding v or, floor joists, band	y Star rated p will match exis joists, and sill. Base	re-hung exterior viting. This installati	nyl siding patio door wit on is to include repairing =
Sliding Glass Patio Door Remove and dispose of existing door, frame and threshol screen and locking hardware. Insulate cavity. New casing any damaged header, door framing, wall framing, sub-floor	d. Install new Energ and shoe molding v or, floor joists, band Bid Cost: _	y Star rated p will match exis joists, and sill. Base	re-hung exterior vi ting. This installati X	nyl siding patio door wit on is to include repairing =
Sliding Glass Patio Door Remove and dispose of existing door, frame and threshol screen and locking hardware. Insulate cavity. New casing any damaged header, door framing, wall framing, sub-floor Laundry Washer Connection Box - Utility Room	d. Install new Energ and shoe molding v or, floor joists, band Bid Cost: _	y Star rated p will match exis joists, and sill. Base	re-hung exterior viting. This installati	nyl siding patio door wit on is to include repairing =
Sliding Glass Patio Door Remove and dispose of existing door, frame and threshol screen and locking hardware. Insulate cavity. New casing any damaged header, door framing, wall framing, sub-floor	d. Install new Energ and shoe molding v or, floor joists, band Bid Cost: _	y Star rated p will match exis joists, and sill. Base	re-hung exterior viting. This installati	nyl siding patio door wit on is to include repairing =
Sliding Glass Patio Door Remove and dispose of existing door, frame and threshol screen and locking hardware. Insulate cavity. New casing any damaged header, door framing, wall framing, sub-floor Laundry Washer Connection Box - Utility Room	d. Install new Energ and shoe molding v or, floor joists, band Bid Cost: _	y Star rated p will match exis joists, and sill. Base	re-hung exterior viting. This installati	nyl siding patio door withon is to include repairing Total Cost
Sliding Glass Patio Door Remove and dispose of existing door, frame and threshol screen and locking hardware. Insulate cavity. New casing any damaged header, door framing, wall framing, sub-floor Laundry Washer Connection Box - Utility Room	d. Install new Energ and shoe molding v or, floor joists, band Bid Cost: _	y Star rated p will match exis joists, and sill. Base	re-hung exterior viting. This installati	nyl siding patio door withon is to include repairing Total Cost

Wall Finish Repair & Shelving installation

- 1. Repair wall finish. Patch drywall or plaster holes in wall greater than one inch. All others use an adhesive mesh and mud over the mesh with the appropriate material. Wet sand smooth and paint white. Install right side of door trim & paint white
- 2. Install wooden shelving, 2 x 4 framing, from Utility door frame to outside wall, 30 inches deep, 3 shelves high, Paint white

	Did Coots		X	=
	Bid Cost:	Base	Quantity	Total Cost
Combination CO / Smoke Detector Hard Wired	y with a notice, arrived three bases have the analysis of the contractions	CALLEST CONTRACTOR STATE CONTRACTOR CONTRACTOR	Linear Strategy of the strateg	grander and a state of the stat
nstall a hard wired combination carbon monoxide and s	moke detector with b	attery back up	р.	
	Bid Cost:		Х	=
		Base	Quantity	Total Cost
Smoke Detector Hard Wired	n in minimizer ver ver staden de mont met der demokratie en ver en	n na navenu majawan na kata na kana na na	ne viviant automonico de vivia esse il control vivian	TRANSPORTER (L. M. C. S. L. S. BERT M. CAROCCE TO A CONTRACTOR CONTRACTOR
(3) Install UL approved, interconnected, ceiling mounte pattery backups in bedrooms and outside of sleeping are		etectors perm	nanently wired into	o a receptacle boxes wil
	Bid Cost:		Х	=
		Base	Quantity	Total Cost
Replace electrical service with new 200 amp, main disco				
Replace electrical service with new 200 amp, main disco		Caulk exterio	or service penetra	_=
Replace electrical service with new 200 amp, main disco	ent of all sub-panels. Bid Cost:	Caulk exterio	or service penetra X Quantity	
Replace electrical service with new 200 amp, main disconservice cable, ground rods and cable. Include replacements	ent of all sub-panels. Bid Cost:	Base	X Quantity	tion. Total Cost
Replace electrical service with new 200 amp, main disconservice cable, ground rods and cable. Include replacem See Attached Lead Scope All work shall be performed in accordance with applicable will be obtained as appropriate. Mecklenburg County reconstructions.	Bid Cost:	Base all meet all ap	X Quantity pplicable building	tion. Total Cost codes. Building permits
Replace electrical service with new 200 amp, main disconservice cable, ground rods and cable. Include replacem See Attached Lead Scope All work shall be performed in accordance with applicable will be obtained as appropriate. Mecklenburg County reconstructions.	Bid Cost:	Base all meet all ap	X Quantity pplicable building	tion. Total Cost codes. Building permits
Replace electrical service with new 200 amp, main disconservice cable, ground rods and cable. Include replacements See Attached Lead Scope All work shall be performed in accordance with applicable will be obtained as appropriate. Mecklenburg County recactivities subject to permitting under general conducts.	ent of all sub-panels. Bid Cost: le regulations and sha	Base all meet all ap	X Quantity pplicable building stard Reduction if	tion. Total Cost codes. Building permits
Replace electrical service with new 200 amp, main disconservice cable, ground rods and cable. Include replacements of the service cable, ground rods and cable. Include replacements of the service cable, ground rods and cable. Include replacements of the service cable of the service	ent of all sub-panels. Bid Cost: le regulations and sha	Base all meet all aps for Lead Ha	X Quantity pplicable building izard Reduction if	Total Cost codes. Building permits the work involves
Replace electrical service with new 200 amp, main disconservice cable, ground rods and cable. Include replacementaries and cable. Include replacementaries are activities subject to permitting under general conducts. Attic Insulation Increase to R-38 Increase attic insulation to R-38, contractor to attach vertices.	Bid Cost:	Base all meet all aps for Lead Ha	Quantity Quantity pplicable building azard Reduction if	Total Cost codes. Building permits the work involves Total Cost
Electric Service 200 AMP Replace electrical service with new 200 amp, main disconservice cable, ground rods and cable. Include replacementaries of the service cable, ground rods and cable. Include replacementaries of the service cable, ground rods and cable. Include replacementaries of the service cable, ground rods and cable. Include replacementaries of the service of the serv	Bid Cost:	Base Base Base Base Base Base	Quantity Quantity pplicable building azard Reduction if	Total Cost codes. Building permits the work involves Total Cost

Exterminate Termites

Exterminate for termites. Drill and patch foundation and pavement where necessary. Exterminator must be licensed and provide a 1 year guarantee with an optional yearly renewable warranty for the homeowner.

·	Bid Cost:		(=_	
		Base	Quantity	Total Cost
Vapor Barrier	A CONTRACT OF THE PROPERTY			
Lay 6 mil poly vapor barrier on ground in crawl space and 6" սլ	p foundation wa	alls. Overlap se	eams by 2' and secu	re with duct tape.
	Bid Cost:)	\	
		Base	Quantity	Total Cost
Crawl Space Access Door	 Fundation & Label Country on the disser- 	ENDER SERVICE COMMENS	Consideration of the second	CONTRACTOR OF THE STATE OF THE
Install a 3/4" pressure treated plywood access door in a 2" x 4"	' pressure treat	ed frame. Pro	vide galvanized iron	hinges and hasp.
	Bid Cost:		K=_	
		Base	Quantity	
Insulate Floor R-19	ere e e e	A CONTRACTOR		
Remove current R-19 crawl-space insulation. Install R-19 Kraft faced batt fiberglass insulation to floor where teeth" or mesh to hold insulation in place.	missing. Vapo	r barrier must t	face heated space.	Use strong wire, "tiç
	Rid Cost:	,	Х=	
	•	Base	Quantity	Total Cost
grand ang mengangkan dang dalam mengangkan di diang mengangkan di diang di dang dalam di diang di diang bibbis	a tres to dell'ente nelle la la tres tres tres est	grander teller i jednar i franktiske i folktet i fra	tera mantalangung sabandahkan kabahua sebut 19 Pertebutung	ELECTION DESCRIPTION OF CAMPAGE AND ADMINISTRA
Certification				
Certification Contractor Name:			Total Cost:	

ASBESTOS

ABATEMENT SCOPE OF WORK

& INSTRUCTIONS TO BIDDERS

Address

418 S. RAMSEYST

10-Aug

11 11	reature	Wictioa	 	
	ASBESTOS - White Joint Compound. Approx. 500 sq ft of white compound on the original wallboard joints, seams & connection points throughout the house	Abatement- Remove & dispose of the asbestos- containing joint compound material prior to renovation or demolition activities that may impact materials in bathroom, front-left bedroom, kitchen / dining room, rear-right lower storage room & utility room		
2	Clearance	City of Charlotte paying for Third-party Asbestos Risk Assesment for Clearance		
3				
4				
5				
6				
7				
8				
9				
10	,			

TOTAL

Contractors may submit an occupant protection plan on the form provided.

- 1 Contact Jim Roy if an additional form is needed. Phone 704-968-4111.

 Complete all interior work in a unit in a single day.
- 2 Allow for replacement of 50 board feet of rotted wood.
- 3 Unless otherwise noted any window or door removal and replacement
- 4 includes frame and trim on both sides.

 In lieu of complete removal, window frames may be enclosed with vinyl on
- 5 exterior in accordance with all project manual requirements
- 6 Contact Jim Roy to conduct inspections prior to repainting or other putback and after vinyl siding installation.

Windows being placed in a bathroom need to be tempered glass.

Total Bid

Acknowledgement of Addenda (if any):

Addendum#		
		Date
	,	
The undersigned contractor agrees t	to perform the scope of work for the indicated	

fee in accordance with applicable regulations and the project manual. The undersigned also certifies that the work will be completed within 60 days of award.

Signature of authorized contractor representative

START DATE

COMPLETION DATE

Lead Based Paint - SCOPE OF WORK & INSTRUCTIONS TO BIDDERS

Address

418 S. Ramsey St

6/26/2020

Complete the following scope of work:

m #	Feature	Method	Number	Cost Per unit	COST
	EXTERIOR- Side A thru Side D - yellow				
		Repair rotted / damaged wood and cover with			
1	boards, trim boards and drip boards	Tyvek and aluminum or vinyl			
	EXTERIOR - Side A thru Side D - green and yellow wood fascias, soffits, crown moldings,	Repair rotted / damaged wood and cover with	1		
ว	trim boards and attic air vents and frames	Tyvek and aluminum or vinyl			
2	This boards that atto an voite and names				
	EXTERIOR - Side A thru Side D - white wood				
	window casings, headers, sills, sashes and				
	wells and white wood shutters EXCEPT	Replace window sashes and wells and cover window casings, headers and sills with Tyvek			
_	Window D1 (Note: Window C1 is metal and not coated with lead-based paint)	and aluminum. Replace window shutters:			
3		and diaminant. Replace window shakero.			
1	EXTERIOR- Side A Entry- yellow and green wood ceiling and trim boards	Scrape loose paint and re-paint			
4		Consperience paint and to paint			
	EXTERIOR - Closet Door C2 - green wood door casings and header	Scrape loose paint and re-paint			
5	door casings and neader	Corape 1000e paint una 10 paint	 		
6	CLEARANCE	ROY CONSULTING			
7					
8					<u> </u>
g					
5			1		
10					
			total		

Contractors may submit an occupant protection plan on the form provided.

- 1 Contact Jim Roy if an additional form is needed. Phone 704-968-4111.

 Complete all interior work in a unit in a single day.
- 2 Allow for replacement of 50 board feet of rotted wood.
- 3 Unless otherwise noted any window or door removal and replacement
- 4 includes frame and trim on both sides.
 In lieu of complete removal, window frames may be enclosed with vinyl on
- 5 exterior in accordance with all project manual requirements
- 6 Contact Jim Roy to conduct inspections prior to repainting or other putback and after vinyl siding installation.

undersigned also certifies that the work will be completed within 60 days of award.

Windows being placed in a bathroom need to be tempered glass.

Total E	3id
---------	-----

Acknowledgement of Addenda (if any):		0	
Addendum#			
			Date
The undersigned contractor agrees to per	form the scope of work for the indicated		
fee in accordance with applicable regulati	ons and the project manual. The		

START DATE

COMPLETION DATE

Providing integrated environmental and geotechnical solutions GROUP CORPORATION ROY CONSULTING

418 S Ramsey Street

Charlotte, NC 28208

aide d

egend

= Soil Sample Location = Door

SIDE B